### IN THE SPECIFICATION:

Page 1, immediately following the title, please insert the following:

This is the U.S. national phase of International Application No.

PCT/DE03/02198 filed July 2, 2003, the entire disclosure of which is incorporated herein by reference.

## **DESCRIPTION BACKGROUND**

Field of the Disclosure

Paragraph 1 on page 1 has been changed as follows:

The present invention disclosure relates to a door for closing a cooking compartment of a cooking appliance, for example of a combination steamer for hotair and/or steam treatment, with and without a mobile plate rack which is inserted in the cooking appliance above a lower branch of the same and having a sealing plate for sealing the cooking compartment opening in the region of a mobile plate rack bar.

On page 1, after paragraph 1 please insert a heading as follows:

Related Technology

On page 2, after paragraph 4 please insert a heading as follows:

#### **SUMMARY**

The paragraphs beginning on page 2, paragraph 5 have been changed as follows:

The object of the present invention is disclosure therefore to further develop develops the door of the generic type in such a way that the abovementioned drawbacks are eliminated, or at least reduced.

According to the invention disclosure, this object is achieved in the a door of the generic type by the fact that the door is provided with providing a captively mounted replacement sealing plate, which is movable between a rest position and an operating position in which it serves as a replacement for the sealing plate of the mobile plate rack.

According to one specific embodiment of the invention, the replacement sealing plate can be made displaceable.

Paragraph 11 on page 2 has been changed as follows:

In particular, it can herein be envisaged that the replacement sealing plate is can be pivotable by at least 180 degrees.

Paragraph 13 on page 3 has been changed as follows:

Advantageously, the replacement sealing plate is <u>may be</u> pivotable by two pivot bearings on each side.

The paragraph beginning on page 3, paragraph 15 have been changed as follows:

According to a further specific embodiment of the invention, it can be envisaged that, an openable inner pane and an outer pane are provided and the

replacement sealing plate, in the rest position, is disposed between the inner and the outer pane.

3

In particular, it can herein be envisaged that the replacement sealing plate is can be pivotable about a horizontal rotation axis.

The paragraph beginning on page 3, paragraph 18 have been changed as follows:

The invention is based on the astonishing perception that, as As a result of the captive mounting of the replacement sealing plate, which mounting is movable between a rest position and an operating position, the provision of a replacement sealing plate in the absence of a mobile plate rack is not so easily forgettable and is easy to handle. In addition, the replacement sealing plate is captive.

# **BRIEF DESCRIPTION OF THE DRAWINGS**

Further features and advantages of the invention will become apparent from the claims and the following description, in which three illustrative embodiments are explained in detail with reference to the schematic drawings, in which:

figure 1 shows a cooking appliance with an inserted mobile plate rack and with a door according to a first specific embodiment of the invention in sectional view;

Paragraph 22 on page 4 has been changed as follows:

figure 3 shows a cooking appliance with inserted mobile plate rack and with a door according to a second specific embodiment of the invention in sectional view;

Paragraph 24 on page 4 has been changed as follows:

figure 5 shows a cooking appliance with inserted mobile plate rack and with a door according to a third specific embodiment of the invention in sectional view; and

On page 4 after paragraph 25 please insert a heading as follows:

## **DETAILED DESCRIPTION**